



Test Certificate

Sample Description: OsteoKing-001
Sample ID: OsteoKing-001
Sample Lot No: OsteoKing-001
Location:
Received Date: 6/2/08 12:44
Completed Date: 6/11/2008
PO No: Verbal David

Client Name: David Wang
and Address: U.S. National Health Product,
Inc.
217-05 53rd Ave.
Bayside, NY 11364

Lab No: 11346-01

Analysis	Result	Per Unit	Method
Aluminum	38.9	ppm	ICP
Antimony	<0.2	ppm	ICP
Arsenic (As)	<0.2	ppm	ICP
Barium	0.582	ppm	ICP
Beryllium	<0.02	ppm	ICP
Bismuth	<0.05	ppm	ICP
Boron	10.9	ppm	ICP
Calcium	96.5	ppm	ICP
Cadmium (Cd)	<0.05	ppm	ICP
Chromium	0.088	ppm	ICP
Cobalt	<0.05	ppm	ICP
Copper	0.170	ppm	ICP
Iron	2.23	ppm	ICP
Lanthanum	<0.05	ppm	ICP
Lead (Pb)	<0.05	ppm	ICP
Lithium	0.070	ppm	ICP
Magnesium	145	ppm	ICP
Manganese	3.08	ppm	ICP
Mercury (Hg)	<0.05	ppm	ICP
Molybdenum	<0.05	ppm	ICP
Nickel	<0.2	ppm	ICP
Niobium	<0.2	ppm	ICP
Phosphorus	465	ppm	ICP
Potassium	1,390	ppm	ICP
Selenium	1.07	ppm	ICP
Silicon	129	ppm	ICP
Silver	<0.05	ppm	ICP
Sodium	546	ppm	ICP
Strontium	1.69	ppm	ICP
Sulfur	413	ppm	ICP
Tellurium	<0.2	ppm	ICP
Thallium	<0.2	ppm	ICP



Advanced Laboratories, Inc.

309 South 4th Street, Smithfield, NC 27577
Phone: 919-989-7793 Fax 919-989-9226

Thorium	<0.2	ppm	ICP
Tin	<0.2	ppm	ICP
Titanium	0.402	ppm	ICP
Tungsten	<0.2	ppm	ICP
Vanadium	<0.05	ppm	ICP
Yttrium	<0.05	ppm	ICP
Zinc	0.171	ppm	ICP
Zirconium	<0.2	ppm	ICP
a,b,d-BHC	<1.0	ppm	GC
Alachlor	<1.0	ppm	GC
Alert	<1.0	ppm	GC
Aldrin	<1.0	ppm	GC
Benfluralin	<1.0	ppm	GC
BifenoX	<1.0	ppm	GC
Bromacil	<1.0	ppm	GC
Captafol	<1.0	ppm	GC
Captan	<1.0	ppm	GC
Chlordane	<1.0	ppm	GC
Chlorbenzilate	<1.0	ppm	GC
Chlorothalonil	<1.0	ppm	GC
Cyanazine	<1.0	ppm	GC
Dachthal	<1.0	ppm	GC
DDD	<1.0	ppm	GC
DDT	<1.0	ppm	GC
Dichlobenil	<1.0	ppm	GC
Dichlone	<1.0	ppm	GC
Dichloran	<1.0	ppm	GC
Dicofol	<1.0	ppm	GC
Dieldrin	<1.0	ppm	GC
Dyrene	<1.0	ppm	GC
Endosulfan	<1.0	ppm	GC
Endrin	<1.0	ppm	GC
Ethafluralin	<1.0	ppm	GC
Folpet	<1.0	ppm	GC
Heptachlor	<1.0	ppm	GC
Indoxacarb	<1.0	ppm	GC
Iprodione	<1.0	ppm	GC
Lindane	<1.0	ppm	GC
Linuron	<1.0	ppm	GC
Methoxychlor	<1.0	ppm	GC
Metribuzin	<1.0	ppm	GC
Mirex	<1.0	ppm	GC
Myclobutanil	<1.0	ppm	GC



Advanced Laboratories, Inc.

309 South 4th Street, Smithfield, NC 27577
Phone: 919-989-7793 Fax 919-989-9226

Oxadiazon	<1.0	ppm	GC
Oxyfluorfen	<1.0	ppm	GC
Pendamethalin	<1.0	ppm	GC
Perthane	<1.0	ppm	GC
Profluralin	<1.0	ppm	GC
Pronamide	<1.0	ppm	GC
Propiconazole	<1.0	ppm	GC
Pyrethrins	<1.0	ppm	GC
Tetradifon	<1.0	ppm	GC
Toxaphene	<1.0	ppm	GC
Tridimephon	<1.0	ppm	GC
Triflumizole	<1.0	ppm	GC
Trifluralin	<1.0	ppm	GC
Vegadex	<1.0	ppm	GC
Vinclozolin	<1.0	ppm	GC
Acephate	<1.0	ppm	GC
Ametryn	<1.0	ppm	GC
Atrazine	<1.0	ppm	GC
Azinphos Methyl	<1.0	ppm	GC
Benthiocarb	<1.0	ppm	GC
Bolstar	<1.0	ppm	GC
Carbofenthion	<1.0	ppm	GC
Chlorfenvinphos	<1.0	ppm	GC
Chlorpropham	<1.0	ppm	GC
Chlorpyrifos	<1.0	ppm	GC
Chlorpyrifos-Methyl	<1.0	ppm	GC
Ciodrin	<1.0	ppm	GC
Coumaphos	<1.0	ppm	GC
Cyanazine	<1.0	ppm	GC
DEF	<1.0	ppm	GC
Demeton	<1.0	ppm	GC
Diazinon	<1.0	ppm	GC
Dibrom	<1.0	ppm	GC
Dicrotophos	<1.0	ppm	GC
Dimethoate	<1.0	ppm	GC
Dioxathion	<1.0	ppm	GC
Diphenyl Amine	<1.0	ppm	GC
Disulfoton	<1.0	ppm	GC
EPN	<1.0	ppm	GC
Ethion	<1.0	ppm	GC
Ethprop	<1.0	ppm	GC
Fenamiphos	<1.0	ppm	GC
Fenitrothion	<1.0	ppm	GC



Advanced Laboratories, Inc.

309 South 4th Street, Smithfield, NC 27577
 Phone: 919-989-7793 Fax 919-989-9226

Fenthion	<1.0	ppm	GC
Fonofos	<1.0	ppm	GC
Hexazinone	<1.0	ppm	GC
Hostathion	<1.0	ppm	GC
Imazalil	<1.0	ppm	GC
Imidan	<1.0	ppm	GC
Isofenphos	<1.0	ppm	GC
Malathion	<1.0	ppm	GC
Metalaxyl	<1.0	ppm	GC
Methamidophos	<1.0	ppm	GC
Methidathion	<1.0	ppm	GC
Methyl Parathion	<1.0	ppm	GC
Metolachlor	<1.0	ppm	GC
Metribuzin	<1.0	ppm	GC
Mevinphos	<1.0	ppm	GC
Molinate	<1.0	ppm	GC
Myclobutanil	<1.0	ppm	GC
Naled	<1.0	ppm	GC
Parathion	<1.0	ppm	GC
Phorate	<1.0	ppm	GC
Phosalone	<1.0	ppm	GC
Primiphos-methyl	<1.0	ppm	GC
Profenophos	<1.0	ppm	GC
Prometryne	<1.0	ppm	GC
Propetamphos	<1.0	ppm	GC
Ronnel	<1.0	ppm	GC
Simazine	<1.0	ppm	GC
Terbacil	<1.0	ppm	GC
Tetrachlorvinphos	<1.0	ppm	GC
Thiabendazole	<1.0	ppm	GC
Thionazin	<1.0	ppm	GC
Standard Plate Count	<10	CFU/g	AOAC 966.23
Coliform	<10	CFU/g	AOAC 991.14
E.coli	<10	CFU/g	AOAC 991.14
Staphylococcus aureus	<10	CFU/g	AOAC 2003.07
Salmonella	Negative	per 25 grams	FDA BAM 8th
Y&M	<10 / <10	CFU/g	FDA BAM 8th
Psuedomonas aeruginosa	Negative	per 25 grams	FDA BAM 8th



Advanced Laboratories, Inc.

309 South 4th Street, Smithfield, NC 27577
Phone: 919-989-7793 Fax 919-989-9226

THESE RESULTS ARE ASSIGNED ONLY TO THE SAMPLE SUBMITTED NOT TO THE PRODUCT IT WAS TAKEN FROM.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM THE LABORATORY.

Results Approved By: Rich Chludzinski
Rich Chludzinski

Dated: 6/11/2008